

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20181116-E209833  
**Report Reference** E209833-20181105  
**Issue Date** 2018-NOVEMBER-16

**Issued to:** EDAC POWER ELECTRONICS CO LTD  
11TH FL-2, 150 JIAN YI RD  
CHUNG HO DISTRICT  
NEW TAIPEI, 235 TAIWAN

**This certificate confirms that representative samples of** POWER SUPPLIES FOR USE WITH AUDIO/VIDEO, INFORMATION AND COMMUNICATION TECHNOLOGY EQUIPMENT  
See Addendum Page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** UL 62368-1, 2nd Edition (Audio/video, Information and Communication Technology Equipment - Part 1: Safety Requirements)  
CAN/CSA C22.2 No. 62368-1-14, 2nd Edition, (Audio/video, Information and Communication Technology Equipment - Part 1: Safety Requirements)

**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20181116-E209833  
**Report Reference** E209833-20181105  
**Issue Date** 2018-NOVEMBER-16


This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Models/Product

### AC Adaptors

- 1) EA1170XY, EA1170XYWWWWW
- 2) EM1170XY, EM1170XYWWWWW

('X' can be 1 or 3 to denote different inlet type, 1 to denote C14 type, 3 to denote C6 type; 'Y' can be A, B, C, D, E, F, G, H, J, K, M, N, P, Q, R or S to denote different output voltage range, 'W' can be 0-9, A-Z, a-z, '-' or blank to denote different client for marketing purpose).



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

