

Mini-Box.com
PICO size computing

Ituner Networks Corp
44244 Fremont Blvd.
Fremont, CA 94538, United States
<http://www.mini-box.com>

Certificate of Compliance for REACH

To minimize the environmental impact and take more responsibility to the earth we live, iTuner Network Corp. hereby confirms, based on the feedback from our suppliers that our products shipping to the EU territory comply with the restriction of SVHC (Substances of Very High Concern) in (EC) 1907/2006 (REACH -- Registration, Evaluation, Authorization, and Restriction of Chemicals) regulated by the European Union.

Content of Compliance

235 substances listed in SVHC < 0.1 % by weight (1000 ppm)

(For more information about SVHC candidate list, please refer to the following pages)

Applicable products

DCDC-USB(RS)

Signature : 

Print Name/Title : Amanda-Tsai / QA Supervisor

Date : 2023/7/31

Prüfbericht - Nr.: 0114076876d 001 <i>Test Report No.:</i>			Seite 1 von 11 <i>Page 1 of 11</i>																				
Auftraggeber: Eastern Electronics Co., Ltd. <i>Client:</i> No.4, Shin-Long Road, Taoyuan Dist., Taoyuan City 33068, Taiwan, R.O.C.																							
Gegenstand der Prüfung: 1 PCB board, green <i>Test Item:</i>																							
Bezeichnung: DC-DC converter / DCDC-USB(RS) <i>Identification:</i>																							
Anlieferungszustand: apparent good <i>Delivery condition:</i>		Eingangsdatum: 2018-04-25 <i>Date of Receipt:</i>																					
Prüfort: TÜV Rheinland Hong Kong Ltd. <i>Testing location:</i>																							
Prüfgrundlage: Customer Requirement: <i>Test specification:</i> Risk Assessment of Articles: Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles (Guidance on requirements for substances in articles, June 2017)																							
Prüfergebnis: The test results are the measurements, stated in the test report. <i>Test result:</i>																							
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> geprüft: tested by:  2018-05-09 Fanny Lin /Project Coordinator </div> <div style="width: 45%;"> kontrolliert: checked by:  2018-05-09 Carl Chang /Department Manager </div> </div> <table style="width: 100%; margin-top: 10px;"> <thead> <tr> <th style="width: 15%;">Datum</th> <th style="width: 35%;">Name/Stellung</th> <th style="width: 20%;">Unterschrift</th> <th style="width: 15%;">Datum</th> <th style="width: 35%;">Name/Stellung</th> <th style="width: 20%;">Unterschrift</th> </tr> <tr> <th><i>Date</i></th> <th><i>Name/Position</i></th> <th><i>Signature</i></th> <th><i>Date</i></th> <th><i>Name/Position</i></th> <th><i>Signature</i></th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>						Datum	Name/Stellung	Unterschrift	Datum	Name/Stellung	Unterschrift	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>						
Datum	Name/Stellung	Unterschrift	Datum	Name/Stellung	Unterschrift																		
<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>																		
Sonstiges/ Other Aspects: Test period: 2018-04-25 – 2018-05-09																							
<table style="width: 100%;"> <tr> <td style="width: 50%;"> Abkürzungen: ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar </td> <td style="width: 50%;"> Abbreviations: ok / P = passed fail / F = failed n.a. / N = not applicable </td> </tr> </table>						Abkürzungen: ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar	Abbreviations: ok / P = passed fail / F = failed n.a. / N = not applicable																
Abkürzungen: ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar	Abbreviations: ok / P = passed fail / F = failed n.a. / N = not applicable																						
<p>Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.</p> <p><i>This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i></p>																							



Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles.

Product Classification:

With reference to Corrigendum to Regulation (EC) no.1907/2006 and ECHA, this product is classified as:

<input checked="" type="checkbox"/>	Article
<input type="checkbox"/>	Article with an integral substance/ mixture
<input type="checkbox"/>	Combinations of an article (functioning as a container or a carrier material) and a substance/ mixture
<input type="checkbox"/>	Substance/ mixture

Conclusion:

Conclusion			
Product Location	Acc. to authorisation list (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and candidate list by ECHA, and the EU Court of Justice rules on SVHCs in articles, the detected SVHC concentration in components level is	Obligation of Importer(*) (For article)	Detected Substance (if any)
Main unit	< 0.1%	Not necessary	--

(For article)

(*) To communicate information down the supply chain according to article. 33 of REACH. **OR**

1. Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
2. Provide sufficient information to ensure safe use of the article and, as a minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request.

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

Test results


1. Screening of SVHCs subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 and (EU) No. 2017/999 (Annex XIV of EC No 1907/2006) and SVHCs in candidate list by European Chemical Agency (ECHA), and the EU Court of Justice rules on SVHCs in articles

Test Method: 1) A representative test portion is prepared by cryogenic milling.
2) Test portion is digested with acid and assisted with microwave, the elements are analysed by ICP-OES.
3) Test portion is extracted by organic solvent, semi-quantitative analysis by GC-MS / UV-Vis
4) Test portion is extracted by organic solvent, the extraction solution is analyzed by Headspace-GC/MS / LC-DAD-MS / LC-MS/MS.

Sample Material Lab.-No.	DC-DC converter / DCDC-USB(RS) PCB board/green TCL180425-07
Result (%)	n.d.

Abbreviation: n.d. = Not Detected (< Reporting Limit)
RL = Reporting Limit
% = Percentage

Test sample



Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

Remark:

(*1) The reporting limit for each individual SVHC subject to authorisation according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013, (EU) No 895/2014 and (EU) No 2017/999 (Annex XIV of EC No 1907/2006):

	Substances	CAS No.	Reporting Limit
1	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	0.01%
2	Benzyl butyl phthalate (BBP)	85-68-7	0.01%
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	0.01%
4	Dibutyl phthalate (DBP)	84-74-2	0.01%
5	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4 / 3194-55-6 / 134237-50-6 / 134237-51-7 / 134237-52-8	0.01%
6	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	0.01%
7	2,4-Dinitrotoluene (2,4-DNT)	121-14-2	0.01%
8	Diisobutyl phthalate (DIBP)	84-69-5	0.01%
9	Tris(2-chloroethyl)phosphate	115-96-8	0.01%
10	Diarsenic pentaoxide ^(*)3)	1303-28-2	0.01%
11	Diarsenic trioxide ^(*)3)	1327-53-3	0.01%
12	Lead chromate ^{(*)3)(*)4)}	7758-97-6	0.01%
13	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) ^{(*)3)(*)4)}	12656-85-8	0.01%
14	Lead sulfochromate yellow (C.I. Pigment Yellow 34) ^(*)3)	1344-37-2	0.01%
15	Trichloroethylene	79-01-6	0.01%
16	Chromium trioxide ^(*)4)	1333-82-0	0.01%
17	Acids generated from chromium trioxide and their oligomers. Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. ^(*)4)	7738-94-5 / 13530-68-2	0.01%
18	Sodium dichromate ^(*)3)	7789-12-0 / 10588-01-9	0.01%
19	Potassium dichromate ^(*)4)	7778-50-9	0.01%
20	Ammonium dichromate ^(*)4)	7789-09-5	0.01%
21	Potassium chromate ^(*)4)	7789-00-6	0.01%
22	Sodium chromate ^(*)4)	7775-11-3	0.01%
23	Formaldehyde, oligomeric reaction products with aniline (technical MDA) ^(*)11)	25214-70-4	0.01%
24	1,2-Dichloroethane	107-06-2	0.01%
25	Bis(2-methoxyethyl) ether	111-96-6	0.01%
26	Arsenic acid ^(*)3)	7778-39-4	0.01%
27	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	0.01%
28	Dichromium tris(chromate) ^(*)4)	24613-89-6	0.01%
29	Strontium chromate ^(*)4)	7789-06-2	0.01%
30	Potassium hydroxyoctaoxodizincatedichromate ^(*)4)	11103-86-9	0.01%
31	Pentazinc chromate octahydroxide ^(*)4)	49663-84-5	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
32	1-bromopropane (n-propyl bromide)	106-94-5	0.01%
33	Diisopentylphthalate	605-50-5	0.01%
34	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	0.01%
35	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	0.01%
36	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.01%
37	Bis(2-methoxyethyl) phthalate	117-82-8	0.01%
38	Dipentyl phthalate (DPP)	131-18-0	0.01%
39	N-pentyl-isopentylphthalate	776297-69-9	0.01%
40	Anthracene oil ^(*)	90640-80-5	0.01% ^(*)
41	Pitch, coal tar, high temperature ^(*)	65996-93-2	0.01%
42	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) [covering well-defined substances and UVCB substances, polymers and homologues]	-	0.01%
43	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%

(*2) The reporting limit for each individual SVHC in Candidate List by ECHA:

	Substances	CAS No.	Reporting Limit
44	Anthracene	120-12-7	0.01%
45	Bis(tributyltin) oxide (TBTO) ^(*) ^(*)	56-35-9	0.01%
46	Triethyl arsenate ^(*)	15606-95-8	0.01%
47	Lead hydrogen arsenate ^(*)	7784-40-9	0.01%
48	Cobalt dichloride ^(*)	7646-79-9	0.01%
49	Acrylamide	79-06-1	0.01%
50	Anthracene oil, anthracene paste, distr. lights ^(*)	91995-17-4	0.01% ^(*)
51	Anthracene oil, anthracene paste, anthracene fraction ^(*)	91995-15-2	
52	Anthracene oil, anthracene-low ^(*)	90640-82-7	
53	Anthracene oil, anthracene paste ^(*)	90640-81-6	
54	Boric acid ^(*) ^(*)	10043-35-3 / 11113-50-1	0.01%
55	Disodium tetraborate, anhydrous ^(*) ^(*)	1303-96-4 / 1330-43-4 / 12179-04-3	0.01%
56	Tetraboron disodium heptaoxide, hydrate ^(*) ^(*)	12267-73-1	0.01%
57	2-Methoxyethanol	109-86-4	0.01%
58	2-Ethoxyethanol	110-80-5	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
59	Cobalt(II) sulphate ^(*)3)	10124-43-3	0.01%
60	Cobalt(II) dinitrate ^(*)3)	10141-05-6	0.01%
61	Cobalt(II) carbonate ^(*)3)	513-79-1	0.01%
62	Cobalt(II) diacetate ^(*)3)	71-48-7	0.01%
63	Alkanes C10-C13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	85535-84-8	0.01%
64	2-Ethoxyethyl acetate	111-15-9	0.01%
65	Hydrazine	302-01-2 / 7803-57-8	0.01%
66	1-Methyl-2-pyrrolidone (NMP)	872-50-4	0.01%
67	1,2,3-Trichloropropane	96-18-4	0.01%
68	Aluminosilicate Refractory Ceramic Fibres (RCF) ^(*)9)	-	0.01%
69	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) ^(*)9)	-	0.01%
70	2-Methoxyaniline, o-Anisidine	90-04-0	0.01%
71	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.01%
72	Calcium arsenate ^(*)3)	7778-44-1	0.01%
73	Trilead diarsenate ^(*)3)	3687-31-8	0.01%
74	N,N-dimethylacetamide (DMAC)	127-19-5	0.01%
75	Phenolphthalein	77-09-8	0.01%
76	Lead dipicrate ^(*)3)	6477-64-1	0.01%
77	Lead diazide, Lead azide ^(*)3)	13424-46-9	0.01%
78	Lead styphnate ^(*)3)	15245-44-0	0.01%
79	1,2-bis(2-methoxyethoxy)ethane (TEGDME, triglyme)	112-49-2	0.01%
80	1,2-dimethoxyethane, ethylene glycol dimethyl ether (EGDME)	110-71-4	0.01%
81	Diboron trioxide ^(*)3) ^(*)6)	1303-86-2	0.01%
82	Formamide	75-12-7	0.01%
83	Lead(II) bis(methanesulfonate) ^(*)3)	17570-76-2	0.01%
84	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazine-2,4,6-trione (TGIC)	2451-62-9	0.01%
85	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (β-TGIC)	59653-74-6	0.01%
86	4,4'-bis(dimethylamino)benzophenone (Michler's ketone), MK	90-94-8	
87	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK	101-61-1	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
88	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene] cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] ^{(*)10}	2580-56-5	0.01%
89	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] ^{(*)10}	548-62-9	
90	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] ^{(*)10}	561-41-1	
91	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] ^{(*)10}	6786-83-0	
92	Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)	1163-19-5	0.01%
93	Pentacosfluorotridecanoic acid	72629-94-8	0.01%
94	Tricosfluorododecanoic acid	307-55-1	0.01%
95	Henicosfluoroundecanoic acid	2058-94-8	0.01%
96	Heptacosfluorotetradecanoic acid	376-06-7	0.01%
97	Diazeno-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) ^{(*)12}	123-77-3	0.05%
98	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7 / 13149-00-3 / 14166-21-3	0.01%
99	Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 / 19438-60-9 / 48122-14-1 / 57110-29-9	0.01%
100	N,N-dimethylformamide	68-12-2	0.01%
101	1,2-Diethoxyethane	629-14-1	0.01%
102	Diethyl sulphate	64-67-5	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
103	Methoxyacetic acid (MAA)	625-45-6	0.01%
104	Dimethyl sulphate	77-78-1	0.01%
105	N-methylacetamide	79-16-3	0.01%
106	Furan	110-00-9	0.01%
107	Methyloxirane (Propylene oxide)	75-56-9	0.01%
108	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.01%
109	Dibutyltin dichloride (DBTC) ^(*)	683-18-1	0.01%
110	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	0.01%
111	4,4'-methylenedi-o-toluidine	838-88-0	0.01%
112	4,4'-oxydianiline and its salts	101-80-4	0.01%
113	4-Aminoazobenzene	60-09-3	0.01%
114	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	0.01%
115	6-methoxy-m-toluidine (p-cresidine)	120-71-8	0.01%
116	Biphenyl-4-ylamine	92-67-1	0.01%
117	o-aminoazotoluene	97-56-3	0.01%
118	o-Toluidine	95-53-4	0.01%
119	Acetic acid, lead salt, basic ^(*)	51404-69-4	0.01%
120	Trilead bis(carbonate) dihydroxide ^(*)	1319-46-6	0.01%
121	Lead oxide sulfate ^(*)	12036-76-9	0.01%
122	[Phthalato(2-)]dioxotrilead ^(*)	69011-06-9	0.01%
123	Dioxobis(stearato)trilead ^(*)	12578-12-0	0.01%
124	Fatty acids, C16-18, lead salts ^(*)	91031-62-8	0.01%
125	Lead bis(tetrafluoroborate) ^(*)	13814-96-5	0.01%
126	Lead cyanamidate ^(*)	20837-86-9	0.01%
127	Lead dinitrate ^(*)	10099-74-8	0.01%
128	Lead monoxide (lead oxide) ^(*)	1317-36-8	0.01%
129	Orange lead (lead tetroxide) ^(*)	1314-41-6	0.01%
130	Lead titanium trioxide ^(*)	12060-00-3	0.01%
131	Lead titanium zirconium oxide ^(*)	12626-81-2	0.01%
132	Pyrochlore, antimony lead yellow ^(*)	8012-00-8	0.01%
133	Pentalead tetraoxide sulphate ^(*)	12065-90-6	0.01%
134	Silicic acid (H ₂ Si ₂ O ₅), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD), the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] ^(*)	68784-75-8	0.01%



Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
135	Silicic acid, lead salt ^{(*)3}	11120-22-2	0.01%
136	Sulfurous acid, lead salt, dibasic ^{(*)3}	62229-08-7	0.01%
137	Tetraethyllead ^{(*)3}	78-00-2	0.01%
138	Tetralead trioxide sulphate ^{(*)3}	12202-17-4	0.01%
139	Trilead dioxide phosphonate ^{(*)3}	12141-20-7	0.01%
140	Ammonium pentadecafluorooctanoate (APFO) ^{(*)13}	3825-26-1	0.01%
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.01%
142	Cadmium ^{(*)3}	7440-43-9	0.01%
143	Cadmium oxide ^{(*)3}	1306-19-0	0.01%
144	4-Nonylphenol, branched and linear, ethoxylated (NPEO) [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	-	0.01%
145	Diethyl phthalate	84-75-3	0.01%
146	Triethyl phosphate	25155-23-1	0.01%
147	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.01%
148	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.01%
149	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.01%
150	Lead di(acetate) ^{(*)3}	301-04-2	0.01%
151	Cadmium sulphide ^{(*)3}	1306-23-6	0.01%
152	1,2-Benzenedicarboxylic acid, diethyl ester, branched and linear	68515-50-4	0.01%
153	Cadmium chloride ^{(*)3}	10108-64-2	0.01%
154	Sodium perborate, perboric acid, sodium salt ^{(*)3} ^{(*)6}	-	0.01%
155	Sodium peroxometaborate ^{(*)3} ^{(*)6}	7632-04-4	0.01%
156	Cadmium fluoride ^{(*)3}	7790-79-6	0.01%
157	Cadmium sulphate ^{(*)3}	10124-36-4 / 31119-53-6	0.01%
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.01%
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.01%
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) ^{(*)14}	15571-58-1	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) ^(*)15)	-	0.01%
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 / 68648-93-1	0.01%
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.01%
164	1,3-propanesultone	1120-71-4	0.01%
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	0.01%
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	0.01%
167	Nitrobenzene	98-95-3	0.01%
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	0.01%
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.01%
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.01%
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	0.01%
172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%
173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.01%
174	Perfluorohexane-1-sulfonic acid and its salts (PFHxS)	-	0.01%
175	Chrysene	218-01-9	0.01%
176	Benz[a]anthracene	56-55-3	0.01%
177	Cadmium nitrate ^(*)3)	10325-94-7	0.01%
178	Cadmium hydroxide ^(*)3)	21041-95-2	0.01%
179	Cadmium carbonate ^(*)3)	513-78-0	0.01%

Test Report No. : 0114076876d 001
Customer : Eastern Electronics Co., Ltd.

2018-05-09

	Substances	CAS No.	Reporting Limit
180	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"™) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	0.01%
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	0.01%

- (*3) The substances are tested and calculated in terms of its respective elements (e.g. As, Pb, Co, B, Cd, Sn).
- (*4) The substances are tested and calculated in terms of Cr (VI).
- (*5) The substance is tested and calculated in terms of Tributyl tin.
- (*6) The substances are confirmed and tested in terms of Boric acid when Boron is detected in the sample.
- (*7) The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (*8) Individual concentrations to the constituent of UVCB with an amount of < 0.01% were not considered by the calculation of the sum.
- (*9) The test results are based on microscopic and chemical evaluation.
- (*10) The substances are quantified in terms of Michler's ketone and Michler's base by LC-MS, as Michler's ketone or Michler's base was found exceeds 0.01%.
- (*11) The content oligomer is determined by Py-GC/MS.
- (*12) The content of diazene-1,2-dicarboxamide is analyzed in terms of its breakdown product.
- (*13) The substance is tested in terms of pentadecafluorooctanoate.
- (*14) The substance is tested and calculated in terms of Dioctyl tin.
- (*15) The substance is tested and calculated in terms of Mono-octyl tin and Dioctyl tin.

--- End of Test-Report ---



CHEMICAL ANALYSIS TEST REPORT(REACH)

Company : Eastern Electronics Co., Ltd.
Address : No.4, Shin-Long Road, Taoyuan Dist., Taoyuan City 33068, Taiwan
R.O.C.
Product Name : DCDC-USB(RS)
Date Received : AUG 14, 2019
Date Tested : AUG 23, 2019

TESTING LABORATORY IS ACCREDITED BY:

IECQ ISO/IEC 17025 certificate of independent test laboratory approval
Certificate No. : IECQ-L DEKRA 16.0002

WE HEREBY CERTIFY THAT:

The test(s) shown in the attachment were conducted according to the indicating procedures. We assume full responsibility for the accuracy and completeness of these tests and vouch for the qualifications of all personnel performing them.

NOTE :

1. This report will be invalid if reproduced in part or altered in any way.
2. This report refers only to the specimen(s) submitted to test, and is invalid if used otherwise.
3. This report is ONLY valid with the examination seal and signature of this institute.
4. The tested specimen(s) will only be preserved for thirty days from the date issued, if not collected by the applicant.

Signed and on behalf of

Wenston Lin

Wenston Lin
Manager



TABLE OF CONTENTS

1. GENERAL INFORMATION

1.1 DESCRIPTION OF SAMPLE AND CONCLUSION	2
--	---

2. CHEMICAL ANALYSIS TEST (REACH)

2.1 TEST CONDITION AND RESULT	3
2.2 PHOTO OF SAMPLE	6
2.3 MEASUREMENT FLOW CHART	7

1. GENERAL INFORMATION

1.1 DESCRIPTION OF SAMPLE AND CONCLUSION

Product Name : DCDC-USB(RS)

This test results meet the acceptance criteria of the latest SVHC candidate list from (EC) No. 1907/2006 REACH Regulation

Legal requirement relevant to the article	Conclusion	
Article 33(Communication of SVHC information)	<input checked="" type="checkbox"/>	Comply(Article contains<0.1% candidate list SVHC)
	<input type="checkbox"/>	Warning(Article contains>0.1% candidate list SVHC and prepare tool for SVHC communication)

2.CHEMICAL ANALYSIS TEST (REACH)

2.1TEST CONDITIONS AND RESULTS

Description of test part : DCDC-USB(RS)						
The published date of REACH 19th all 10 SVHC candidate list was 2018/6/27						
No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
182	Octamethylcyclotetrasiloxane (D4) (CAS NO. : 556-67-2)	EPA 3550C	GC-MS	mg/kg	100	N.D.
183	Decamethylcyclopentasiloxane (D5) (CAS NO. : 541-02-6)				100	N.D.
184	Dodecamethylcyclohexasiloxane (D6) (CAS NO. : 540-97-6)				100	N.D.
185	Lead (CAS NO. : 7439-92-1)	EPA 3052	ICP-OES	mg/kg	10	54
186	Disodium octaborate (CAS NO. : 12008-41-2)				10	N.D.
187	Benzo[ghi]perylene (CAS NO. : 191-24-2)	EPA 3540C	GC-MS	mg/kg	100	N.D.
188	Terphenyl hydrogenated (CAS NO. : 61788-32-7)				100	N.D.
189	Ethylenediamine (EDA) (CAS NO. : 107-15-3)				20	N.D.
190	Benzene-1,2,4-tricarboxylic acid 1,2anhydride (trimellitic anhydride) (TMA) (CAS NO. : 552-30-7)				100	N.D.
191	Dicyclohexyl phthalate (DCHP) (CAS NO. : 84-61-7)				20	N.D.

Description of test part : DCDC-USB(RS)

The published date of REACH 20th all 6 SVHC candidate list was 2019/1/15

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane (CAS NO. : 6807-17-6)	Reference: EPA 3540C	GC-MS	mg/kg	100	N.D.
193	Benzo[k]fluoranthene (CAS NO. : 207-08-9)				100	N.D.
194	Fluoranthene (CAS NO. : 206-44-0 93951-69-0)				100	N.D.
195	Phenanthrene (CAS NO. : 85-01-8)				100	N.D.
196	Pyrene (CAS NO. : 129-00-0 1718-52-1)				100	N.D.
197	1,7,7-trimethyl-3-(phenylmethylen)bicyclo[2.2.1]heptan-2-one (CAS NO. : 15087-24-8)	Reference: EPA 3550C	GC-MS	mg/kg	100	N.D.

Description of test part : DCDC-USB(RS)


The published date of REACH 21th all 4 SVHC candidate list was 2019/7/16

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
198	2-methoxyethyl acetate (CAS NO. : 110-49-6)	Reference: EPA 3550C	GC-MS	mg/kg	100	N.D.
199	Tris (4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP) (CAS NO. : -)				100	N.D.
200	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) (CAS NO. : -)				100	N.D.
201	4-tert-butylphenol (CAS NO. : 98-54-4)				100	N.D.

Note :


1. MDL = Method Detection Limit.
2. mg/kg = ppm.
3. N.D. = Not Detected. (The result is below the MDL.)
4. Negative = Undetectable.
5. GC-MS = Gas Chromatograph-Mass Spectrometer.
6. GC-MS/MS = Gas Chromatograph-tandem mass spectrometer.
7. GC-FID = Gas Chromatograph-flame ionization detector.
8. LC-MS/MS = Liquid Chromatograph-tandem mass spectrometer.
9. OM = Optical Microscope .
10. XRF = X-ray Fluorescence Spectrometer
11. FTIR = Fourier-Transform Infrared Spectrometer
12. ICP-OES = Inductively Coupled Plasma-Optical Emission Spectrometer.
13. UV-VIS = Ultraviolet-Visible Spectrophotometer.

2.2 PHOTO OF SAMPLE

Sample NO.	Description of test part	Photo
-	DCDC-USB(RS)	

2.3 MEASUREMENT FLOW CHART

Measurement Flowchart REACH SVHC 20 Items



-----End of Report-----

CHEMICAL ANALYSIS TEST REPORT

(REACH 22th-26th)

Company : Eastern Electronics Co., Ltd.

Address : No.4, Shin-Long Road, Taoyuan Dist., Taoyuan City 33068, Taiwan
R.O.C.

Product Name : DCDC-USB(RS)

Date Received : MAR 02, 2022

Date Tested : MAR 09, 2022

TESTING LABORATORY IS ACCREDITED BY:

IECQ ISO/IEC 17025 certificate of independent test laboratory approval
Certificate No. : IECQ-L DEKRA 16.0002

WE HEREBY CERTIFY THAT:

The test(s) shown in the attachment were conducted according to the indicating procedures. We assume full responsibility for the accuracy and completeness of these tests and vouch for the qualifications of all personnel performing them.

	Name	Signature	Date
Test Engineer	Xiaohu Chen	<i>Xiaohu Chen</i>	Mar 18, 2022
Manager	Wenston Lin	<i>Wenston Lin</i>	Mar 18, 2022

NOTE :

1. This report will be invalid if reproduced in part or altered in any way.
2. This report refers only to the specimen(s) submitted to test, and is invalid if used otherwise.
3. This report is ONLY valid with the examination seal and signature of this institute.
4. The tested specimen(s) will only be preserved for thirty days from the date issued, if not collected by the applicant.



TABLE OF CONTENTS

1. GENERAL INFORMATION

1.1 DESCRIPTION OF SAMPLE	2
---------------------------------	---

2. CHEMICAL ANALYSIS TEST (REACH)

2.1 TEST CONDITION AND RESULT	3
2.2 PHOTO OF SAMPLE	9
2.3 MEASUREMENT FLOW CHART	10

1. GENERAL INFORMATION

1.1 DESCRIPTION OF SAMPLE

Product Name : DCDC-USB(RS)

This test results meet the acceptance criteria of the latest SVHC candidate list from (EC) No. 1907/2006 REACH Regulation

Legal requirement relevant to the article	Conclusion	
Article 33(Communication of SVHC information)	<input checked="" type="checkbox"/>	Comply(Article contains<0.1% candidate list SVHC)
	<input type="checkbox"/>	Warning(Article contains>0.1% candidate list SVHC and prepare tool for SVHC communication)

2. CHEMICAL ANALYSIS TEST (REACH)

2.1 TEST CONDITIONS AND RESULTS

Description of test part : DCDC-USB(RS)						
The published date of REACH 22th all 4 SVHC candidate list was 2020/1/16						
No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS NO. : 119313-12-1)	Reference: EPA 3550C	GC-MS	mg/kg	100	N.D.
203	2-methyl-1-(4-methylthiophenyl)-2-morpholino propan-1-one (CAS NO. : 71868-10-5)				100	N.D.
204	Diisohexyl phthalate (CAS NO. : 71850-09-4)				100	N.D.
205	Perfluorobutane sulfonic acid (PFBS) and its salts (CAS NO. : -)				100	N.D.

Description of test part : DCDC-USB(RS)

The published date of REACH 23th all 4 SVHC candidate list was 2020/6/25

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
206	1-vinylimidazole (CAS NO. :1072-63-5)	Reference: EPA 3550C	LC-MS	mg/kg	50	N.D.
207	2-methylimidazole (CAS NO. :693-98-1)				50	N.D.
208	Dibutylbis(pentane-2,4-dionato- O,O')tin (CAS NO. :22673-19-4)	Reference: EPA 3540C	GC-MS		100	N.D.
209	Butyl 4-hydroxybenzoate (CAS NO. :94-26-8)				20	N.D.

Description of test part : DCDC-USB(RS)

The published date of REACH 24th all 2 SVHC candidate list was 2021/1/19

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
210	Bis(2-(2-methoxyethoxy)ethyl) ether (CAS NO. :143-24-8)	Reference: EPA 3550C	GC-MS	mg/kg	10	N.D.
211	Dioctyltin dilaurate, stannane, dioctyl-,bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (CAS NO. :-)	Reference: EPA 3540C	GC-MS	mg/kg	20	N.D.

Description of test part : DCDC-USB(RS)

The published date of REACH 25th all 8 SVHC candidate list was 2021/7/8

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
212	1,4-dioxane (CAS NO. : 123-91-1)	Reference: EPA 3550C	GC-MS	mg/kg	10	N.D.
213	(1)2,2-bis(bromomethyl)propane 1,3-diol (BMP) (CAS NO. : 3296-90-0) (2)2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) (CAS NO. : 36483-57-5 1522-92-5) (3)2,3-dibromo-1-propanol (2,3-DBPA) (CAS NO. : 96-13-9)	Reference: EPA 3540C	GC-MS	mg/kg	10	N.D.
214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers (1)(2R)-3-(4-tert-butylphenyl)-2-methylpropanal (2)2-(4-tert-butylbenzyl)propionaldehyde; (3)(2S)-3-(4-tert-butylphenyl)-2-methylpropanal (CAS NO. : 75166-31-3; 80-54-6; 75166-30-2)	Reference: EPA 3550C	LC-MS	mg/kg	50	N.D.
215	4,4'-(1-methylpropylidene)bisphenol; (bisphenol B) (CAS NO. : 77-40-7)	Reference: EPA 3540C	GC-MS	mg/kg	10	N.D.
216	Glutaral (CAS NO. : 111-30-8)	Reference: EPA 3540C	GC-MS	mg/kg	10	N.D.
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] (1)Alkanes, C14-17, chloro; (2)di-, tri- and tetrachlorotetradecane; (3)Alkanes, C14-16, chloro; (4)Tetradecane, chloro derivs (CAS NO. : 85535-85-9; 1372804-76-6 ; 198840-65-2)	Reference: EPA 3550C	GC-FID	mg/kg	50	N.D.

Description of test part : DCDC-USB(RS)

The published date of REACH 25th all 8 SVHC candidate list was 2021/7/8

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
218	Orthoboric acid, sodium salt (1)boric acid (H3BO3), sodium salt, hydrate; (2)Boric acid (H3BO3), disodium salt; (3)Trisodium orthoborate; (4)Boric acid, sodium salt; (5)orthoboric acid, sodium salt; (6)Boric acid (H3BO3), sodium salt (1:1) (CAS NO. : 25747-83-5; 22454-04-02; 14312-40-4 ; 1333-73-9; 13840-56-7 ; 14890-53-0.)	Reference: EPA 3050B	ICP-OES	mg/kg	10	N.D.
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) (1)Phenol, 4-dodecyl, branched; (2)4-isododecylphenol; (3)Phenol, 4-isododecyl-; (4)Phenol, dodecyl-, branched; (5)Phenol, (tetrapropenyl) derivatives; (6)Phenol, tetrapropylene- (CAS NO. : 210555-94-5; 27459-10-5; 27147-75-7; 121158-58-5 ; 74499-35-7 ; 57427-55-1)	Reference: EPA 3550C	GC-MS	mg/kg	50	N.D.

Description of test part : DCDC-USB(RS)


The published date of REACH 26th all 4 SVHC candidate list was 2021/9/15

No.	Test Item(s)	Method	Instrument	Unit	MDL	Result
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) (CAS NO. : NA)	Reference: EPA 3540C	LC-MS	mg/kg	50	N.D.
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) (CAS NO. : 119-47-1)	Reference: EPA 3540C	GC-MS	mg/kg	50	N.D.
222	S-(tricyclo[5.2.1.0 ^{2,6}]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate (CAS NO. : 255881-94-8)				50	N.D.
223	tris(2-methoxyethoxy)vinylsilane (CAS NO. : 1067-53-4)				50	N.D.

Note :


1. MDL = Method Detection Limit.
2. mg/kg = ppm.
3. N.D. = Not Detected. (The result is below the MDL.)
4. Negative = Undetectable.
5. GC-MS = Gas Chromatograph-Mass Spectrometer.
6. GC-MS/MS = Gas Chromatograph-tandem mass spectrometer.
7. GC-FID = Gas Chromatograph-flame ionization detector.
8. LC-MS/MS = Liquid Chromatograph-tandem mass spectrometer.
9. OM = Optical Microscope .
10. XRF = X-ray Fluorescence Spectrometer
11. FTIR = Fourier-Transform Infrared Spectrometer
12. ICP-OES = Inductively Coupled Plasma-Optical Emission Spectrometer.
13. UV-VIS = Ultraviolet-Visible Spectrophotometer.

2.2 PHOTO OF SAMPLE


Sample NO.	Description of test part	Photo
-	DCDC-USB(RS)	

2.3 MEASUREMENT FLOW CHART

Measurement Flowchart REACH SVHC 22 Items



-----End of Report-----



TEST REPORT

Applicant : Ituner Networks Corporation

Address : 44244 Fremont Blvd. Fremont, CA. 94538

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the applicant

Sample Name(s) : DCDC-USB(RS)

Trade Mark : Mini-Box.com/PicoPSU

Part No. : DCDC-USB(RS)

Sample Received Date : July 04, 2023

Testing Period : July 04, 2023 ~ July 07, 2023

Date of Report : July 10, 2023

Testing Location : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Test Requested : As specified by client, to screen the (220 ~ 235) substances of very high concern (SVHC) under Regulation (EC) No 1907/2006 of REACH in the submitted sample(s).

Test Method/Test Result(s) : Please refer to the following page(s).

Summary : According to the analytical results, concentrations of all tested SVHC (see the candidate list) is less than 0.1%(w/w) in the submitted sample(s).

Signed for and on behalf of LCS



Lily dan



**Sample Description**

Sample No.	Sample Description
1	Silver metal sheet
2	Gray plastic sheet
3	Silver metal pins
4	White plastic sheet
5	Silver metal pins
6	Black plastic sheet
7	Silver metal sheet
8	Black plastic ring
9	Silver metal sheet
10	Yellow wet paper
11	Gray metal sheet
12	Silver metal pins
13	Brown chip capacitors
14	Gray ceramics
15	Gold metal sheet
16	Black transistor
17	Black IC
18	Black plastic sheet
19	Silver metal pins
20	Red plastic sheet
21	Black plastic sheet
22	Silver metal sheet
23	Silver metal pins
24	Black diode
25	Solder
26	White plastic label sheet
27	Green PCB board
28	Black chip resistors
29	Black IC
30	Silver crystal oscillator





Test No.	Sample Description
A1	Mix all metal

Test No.	Sample Description
B1	Mix all non metal

Test Result(s)

Batch	No.	Substance Name(s)	CAS No.	EC No.	Concentration (%)		Report Limit (%)
					A1 [#]	B1 [#]	
-	-	(220~235) tested SVHC (See the candidate list)	-	-	N.D.	N.D.	-

Test Method:

Refer to US EPA 3052:1996, US EPA 3050B:1996, US EPA 3060A:1996, US EPA 3550C:2007, US EPA 3540C:1996, ISO 17353:2004(E), EN 14582:2016 for sample pretreatment.

Analyzed by ICP-OES, UV-Vis, IC, HPLC, GC-MS, GC-FID and LC-MS-MS.

Sample/Part Description

Sample No.	Sample/Part Description	Number of SVHC
A1	Mixed test, all parts (Metal) [#]	1
B1	Mixed test, all parts (Nonmetal) [#]	16

Note:

1. The table of tested result(s) only shows detected SVHC, and SVHC that below Report Limit are not reported. Please refer to the Candidate List of SVHC on next pages.
2. w/w %=weight by weight; 0.1%=1000mg/kg=1000ppm
3. N.D.=Not Detected(<Report Limit)
4. *: Concentration value of the substance by the conversion from the test results of certain elements.

Concentration value of Bis(tributyltin)oxide(TBTO), Dibutyltin dichloride(DBTC), 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(DOTE), Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate(reaction mass of DOTE and MOTE), Dibutylbis(pentane-2,4-dionato-O,O')tin by the conversion from the test results of certain compounds(Tributyl Tins(TBT), Dibutyl Tins(DBT), Dioctyl Tins(DOT), Monoctyl Tins(MOT)).

5. **: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex IV of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation(Regulation (EC) No 1272/2008).
6. ***: C.I.: Colour Index
7. ****: Light fractions from distillation
8. *****: Concentration value of Disodium tetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodium tetraborate, with no consider of the hydrate. Concentration value of





Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate is evaluated by Sodium perborate, with no consider of the hydrate.

9. ▲: Concentration value of Formaldehyde, oligomeric reaction products with aniline (technical MDA) by the conversion from the test results of certain compounds(2,4-Diaminodiphenylmethane,4,4'-Diaminodiphenylmethane, 2,2-Diaminodiphenylmethane).
10. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances. When the content of the representative substances is equal to or higher than 0.1%(w/w), the presence of the substance in the sample need to be further confirmed by checking SDS or requesting from suppliers.
11. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.
12. #: As specified by client, the test was conducted by mixing several samples together. The result(s) shown on this report may be different from the content of any homogeneous material.
13. *: Indicates the tested items of 73 SVHC.

Remark:

The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

Candidate List of SVHC

Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	—	—	0.01
XXVI	221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol	119-47-1	204-327-1	0.01
XXVI	222	S-(tricyclo(5.2.1.0 ² ,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01
XXVIII	225	1,1'-[ethane-1,2-diylbis(oxy)]bis[2,4,6-tribromobenzene](BTBPE)	37853-59-1	253-692-3	0.01
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol(TBBPA)	79-94-7	201-236-9	0.01
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.01
XXVIII	228*	Barium diboron tetraoxide	13701-59-2	237-222-4	0.01
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	—	—	0.01
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01






Batch	No.	Substance Name(s)	CAS No.	EC No.	Report Limit (%)
XXVIII	231	Melamine	108-78-1	203-615-4	0.01
XXVIII	232	Perfluoroheptanoic acid and its salts	—	—	0.01
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl) morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl) morpholine	—	473-390-7	0.01
XXIX	234	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.01
XXIX	235	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	278-355-8	0.01

Appendix:


- Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1% weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).
 - Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.
 - On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.
- The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 31 and Annex II of REACH.
- The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.
 - Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives (EC) No 1272/2008.
 - Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive (EC) No 1272/2008, but contains any substance that is included in the Candidate List in an individual concentration of $\geq 0.1\%$ by weight for non-gaseous mixtures or $\geq 0.2\%$ by volume for gaseous mixtures.


Test Process






Photo(s) of the sample(s)





**Statement:**

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

